


Einzelflanschmutter Single flange nut


FEIG



| Index | Spindel Ball screw | | Kugel- Ball-ø | Umläufe Loader turns | d | D | Flansch Flange | | | | | L2 | L3 | L | D3 | Oilbohrung Oil hole | | Schmierbohrung Lubrication hole | Nennlast rated load (N) | | | Steifigkeit Rigidity K N/um |
|-------------|-----------------------|------------------|------------------|----------------------------|----|-----|-------------------|-----|------|----|----|-----|-----|------|----|------------------------|------|---------------------------------------|----------------------------|-------------------|--|--------------------------------------|
| | Nenn-ø Nominal-ø | Steigung Lead | | | | | D1 | D2 | B1 | B2 | L1 | | | | | H | T | | C _{dyn} | C _{stat} | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| FEIG40-6-3 | 6 | | 3 | | | | | | | | | | | | | | M8×1 | 16900 | 39150 | 375 | | |
| FEIG40-6-4 | 6 | 3.175 | 4 | 36.7 | 55 | 88 | 72 | 64 | 32 | 14 | 15 | 6.5 | 65 | 9 | 10 | 7 | M8×1 | 21650 | 52200 | 494 | | |
| FEIG40-6-6 | 6 | | 6 | | | | | | | | | | 77 | | | | | 30580 | 78300 | 730 | | |
| FEIG40-8-3 | 8 | | 3 | | | | | | | | | | 65 | | | | | 38990 | 56270 | 406 | | |
| FEIG40-8-4 | 8 | 4.752 | 4 | 35.5 | 60 | 93 | 76 | 72 | 36 | 14 | 20 | 6.5 | 73 | 9 | 10 | 7 | M8×1 | 37130 | 75030 | 536 | | |
| FEIG40-8-6 | 8 | | 6 | | | | | | | | | | 90 | | | | | 52620 | 112550 | 790 | | |
| FEIG40-10-3 | 10 | | 3 | | | | | | | | | | 76 | | | | | 47460 | 77380 | 410 | | |
| FEIG40-10-4 | 10 | | 4 | | | | | | | | | | 86 | | | | | 60780 | 103170 | 540 | | |
| FEIG40-10-5 | 10 | 7.144 | 5 | 33.4 | 63 | 93 | 78 | 70 | 35 | 14 | 20 | 8.5 | 97 | 9 | 10 | 7 | M8×1 | 73640 | 128970 | 669 | | |
| FEIG40-12-3 | 12 | | 3 | | | | | | | | | | 84 | | | | | 47380 | 77280 | 415 | | |
| FEIG40-12-4 | 12 | | 4 | | | | | | | | | | 96 | | | | | 60680 | 103040 | 547 | | |
| FEIG40-12-5 | 12 | | 5 | | | | | | | | | | 109 | | | | | 73520 | 128800 | 677 | | |
| FEIG50-5-4 | 5 | | 4 | | | | | | | | | | 57 | | | | | 23930 | 56730 | 547 | | |
| FEIG50-5-5 | 5 | | 5 | | | | | | | | | | 63 | | | | | 28990 | 83410 | 679 | | |
| FEIG50-5-6 | 5 | 3.175 | 6 | 46.7 | 66 | 95 | 78 | 72 | 36 | 16 | 10 | 6.5 | 70 | 9 | 10 | 8 | M8×1 | 33920 | 100100 | 809 | | |
| FEIG50-6-4 | 6 | | 4 | | | | | | | | | | 63 | | | | | 23920 | 56720 | 569 | | |
| FEIG50-6-5 | 6 | | 5 | | | | | | | | | | 69 | | | | | 28980 | 83400 | 706 | | |
| FEIG50-6-6 | 6 | | 6 | | | | | | | | | | 76 | | | | | 33910 | 100080 | 842 | | |
| FEIG50-8-4 | 8 | | 4 | | | | | | | | | | 77 | | | | | 40900 | 94560 | 617 | | |
| FEIG50-8-5 | 8 | 4.752 | 5 | 45.5 | 70 | 105 | 88 | 78 | 39 | 16 | 14 | 8.5 | 86 | 11 | 10 | 8 | M8×1 | 49550 | 118330 | 764 | | |
| FEIG50-8-6 | 8 | | 6 | | | | | | | | | | 95 | | | | | 57970 | 141990 | 911 | | |
| FEIG50-10-3 | 10 | | 3 | | | | | | | | | | 78 | | | | | 53510 | 99400 | 488 | | |
| FEIG50-10-4 | 10 | | 4 | | | | | | | | | | 88 | | | | | 68530 | 132540 | 643 | | |
| FEIG50-10-5 | 10 | | 5 | | | | | | | | | | 99 | | | | | 83020 | 165600 | 796 | | |
| FEIG50-10-6 | 10 | 7.144 | 6 | 43.4 | 75 | 110 | 93 | 85 | 42.5 | 16 | 16 | 8.5 | 109 | 11 | 10 | 8 | M8×1 | 97120 | 198810 | 948 | | |
| FEIG50-12-3 | 12 | | 3 | | | | | | | | | | 87 | | | | | 53450 | 99320 | 496 | | |
| FEIG50-12-4 | 12 | | 4 | | | | | | | | | | 99 | | | | | 68450 | 132430 | 654 | | |
| FEIG50-12-5 | 12 | | 5 | | | | | | | | | | 112 | | | | | 82940 | 165540 | 810 | | |
| FEIG63-6-4 | 6 | 3.175 | 4 | 59.7 | 80 | 115 | 98 | 90 | 45 | 18 | 16 | 8.5 | 67 | 11 | 10 | 9 | M8×1 | 26400 | 85590 | 647 | | |
| FEIG63-6-6 | 6 | | 6 | | | | | | | | | | 80 | | | | | 37420 | 128390 | 956 | | |
| FEIG63-10-4 | 10 | | 4 | | | | | | | | | | 90 | | | | | 78380 | 176390 | 777 | | |
| FEIG63-10-6 | 10 | | 6 | | | | | | | | | | 111 | | | | | 111080 | 264580 | 1140 | | |
| FEIG63-12-3 | 12 | 7.144 | 3 | 56.4 | 90 | 125 | 108 | 95 | 47.5 | 18 | 16 | 8.5 | 87 | 11 | 10 | 9 | M8×1 | 61160 | 132220 | 604 | | |
| FEIG63-12-4 | 12 | | 4 | | | | | | | | | | 100 | | | | | 78330 | 176290 | 796 | | |
| FEIG63-12-6 | 12 | | 6 | | | | | | | | | | 124 | | | | | 111010 | 264440 | 1170 | | |
| FEIG63-20-3 | 20 | | 3 | | | | | | | | | | 124 | | | | | 87240 | 166430 | 634 | | |
| FEIG63-20-4 | 20 | 9.525 | 4 | 54.2 | 95 | 135 | 115 | 100 | 50 | 20 | 25 | 8.5 | 145 | 13.5 | 10 | 10 | M8×1 | 111730 | 221900 | 835 | | |

Einzelflanschmutter Single flange nut

FEIG




| Index | Spindel Ball screw | | Kugel- Ball-ø | Umläufe Loader turns | d | D | Flansch Flange | | | | | L2 | L3 | L | D3 | Oilbohrung Oil hole | | Schmierbohrung Lubrication hole | Nennlast rated load (N) | | | Steifigkeit Rigidity K N/um |
|--------------|-----------------------|------------------|------------------|----------------------------|-----|-----|-------------------|-----|------|----|----|------|-----|------|----|------------------------|------|---------------------------------------|----------------------------|-------------------|--|--------------------------------------|
| | Nenn-ø Nominal-ø | Steigung Lead | | | | | D1 | D2 | B1 | B2 | L1 | | | | | H | T | | C _{dyn} | C _{stat} | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| FEIG80-10-4 | 10 | | 4 | | | | | | | | | | | | | | | 89060 | 234970 | 899 | | |
| FEIG80-10-5 | 10 | | 5 | | | | | | | | | | 108 | | | | | 107900 | 293720 | 1110 | | |
| FEIG80-10-6 | 10 | 7.144 | 6 | 73.4 | 105 | 145 | 125 | 110 | 55 | 20 | 16 | 8.5 | 118 | 13.5 | 10 | 10 | M8×1 | 126220 | 352460 | 1320 | | |
| FEIG80-12-4 | 12 | | 4 | | | | | | | | | | 108 | | | | | 89020 | 234890 | 932 | | |
| FEIG80-12-6 | 12 | | 6 | | | | | | | | | | 133 | | | | | 126160 | 352340 | 1370 | | |
| FEIG80-20-3 | 20 | | 3 | | | | | | | | | | 142 | | | | | 100840 | 224900 | 788 | | |
| FEIG80-20-4 | 20 | 9.525 | 4 | 71.2 | 115 | 155 | 135 | 120 | 60 | 25 | 20 | 14.5 | 162 | 13.5 | 10 | 13 | M8×1 | 129140 | 299870 | 1030 | | |
| FEIG80-20-3 | 20 | | 3 | | | | | | | | | | 142 | | | | | 142000 | 279000 | 784 | | |
| FEIG80-20-4 | 20 | 12.7 | 4 | 68.9 | 125 | 165 | 145 | 130 | 65 | 25 | 25 | 14.5 | 162 | 13.5 | 10 | 13 | M8×1 | 182000 | 372000 | 1030 | | |
| FEIG100-10-3 | 10 | | 3 | | | | | | | | | | 85 | | | | | 75830 | 220420 | 746 | | |
| FEIG100-10-4 | 10 | | 4 | | | | | | | | | | 95 | | | | | 97120 | 293890 | 986 | | |
| FEIG100-10-5 | 10 | 7.144 | 5 | 93.4 | 125 | 165 | 145 | 130 | 65 | 22 | 16 | 8.5 | 105 | 13.5 | 10 | 11 | M8×1 | 117670 | 367370 | 1220 | | |
| FEIG100-10-6 | 10 | | 6 | | | | | | | | | | 115 | | | | | 137650 | 440840 | 1450 | | |
| FEIG100-16-4 | 16 | | 4 | | | | | | | | | | 143 | | | | | 142470 | 378740 | 1160 | | |
| FEIG100-16-5 | 16 | 9.525 | 5 | 91.2 | 135 | 175 | 156 | 145 | 72.5 | 25 | 20 | 14.5 | 159 | 15.5 | 10 | 13 | M8×1 | 172610 | 473420 | 1440 | | |
| FEIG100-16-6 | 16 | | 6 | | | | | | | | | | 175 | | | | | 201910 | 568110 | 1710 | | |
| FEIG100-20-4 | 20 | | 4 | | | | | | | | | | 165 | | | | | 207000 | 487000 | 1250 | | |
| FEIG100-20-5 | 20 | 12.7 | 5 | 88.9 | 150 | 202 | 176 | 155 | 77.5 | 30 | 25 | 14.5 | 188 | 17.5 | 10 | 15 | M8×1 | 251000 | 609000 | 1550 | | |
| FEIG100-20-6 | 20 | | 6 | | | | | | | | | | 208 | | | | | 294000 | 731000 | 1840 | | |

Doppel-Flanschmutter

Double flange nut

FDIG




| Index | Spindel Ball screw | | Kugel- Ball- ø | Umläufe Loaded turns | d | D | Flansch Flange | | | | | | D3 | Obbohrung Oil hole | | Schmierbohrung Lubrication hole | Nennlast rated load (N) | | Stiffigkeit Rigidity K N/um | | |
|-------------|-------------------------|------------------|----------------------|----------------------------|------|----|-------------------|----|----|----|----|----|-----|-----------------------|-----|---------------------------------------|----------------------------|------|--------------------------------------|------------------|-------------------|
| | Nenn- ø Nominal ø | Steigung Lead | | | | | D1 | D2 | B1 | B2 | L1 | L2 | | L3 | L | | H | T | | C _{dyn} | C _{stat} |
| | | | | | | | | | | | | | | | | | | | | | |
| FDIG165-3 | 16 | 5 | 3.175 | 3 | 12.7 | 28 | 48 | 38 | 40 | 20 | 10 | 10 | 6.5 | 84 | 5.5 | 8 | 5 | MG×1 | 10140 | 13120 | 339 |
| FDIG165-4 | | 5 | | 4 | | | | | | | | | | 95 | | | | MG×1 | 12990 | 17500 | 446 |
| FDIG205-3 | | 5 | | 3 | | | | | | | | | | 94 | | | | MG×1 | 11750 | 17440 | 424 |
| FDIG205-4 | | 5 | | 4 | | | | | | | | | | 114 | | | | MG×1 | 15050 | 23260 | 558 |
| FDIG20-10-3 | 20 | 10 | 3.175 | 3 | 16.7 | 36 | 58 | 47 | 44 | 22 | 10 | 10 | 6.5 | 132 | 6.6 | 8 | 5 | MG×1 | 11620 | 17290 | 427 |
| FDIG20-10-4 | | 10 | | 4 | | | | | | | | | | 150 | | | | MG×1 | 14880 | 23060 | 293 |
| FDIG255-3 | | 5 | | 3 | | | | | | | | | | 90 | | | | MG×1 | 13370 | 22860 | 515 |
| FDIG255-4 | | 5 | | 4 | | | | | | | | | | 99 | | | | MG×1 | 17130 | 30480 | 679 |
| FDIG256-3 | | 6 | 3.175 | 3 | 21.7 | 40 | 62 | 51 | 48 | 24 | 10 | 10 | 6.5 | 98 | 6.6 | 8 | 5 | MG×1 | 13360 | 22840 | 521 |
| FDIG256-4 | | 6 | | 4 | | | | | | | | | | 109 | | | | MG×1 | 17110 | 30460 | 686 |
| FDIG25-10-3 | | 10 | | 3 | | | | | | | | | | 133 | | | | MG×1 | 13280 | 22730 | 528 |
| FDIG25-10-4 | | 10 | | 4 | | | | | | | | | | 150 | | | | MG×1 | 17000 | 30310 | 695 |
| FDIG324-3 | | 4 | 2.5 | 3 | 30 | 48 | 86 | 67 | 66 | 33 | 13 | 10 | 6.5 | 65 | 7 | 8 | 6.5 | MG×1 | 11100 | 24950 | 618 |
| FDIG324-4 | | 4 | | 4 | | | | | | | | | | 75 | | | | MG×1 | 14200 | 33200 | 815 |
| FDIG325-3 | | 5 | | 3 | | | | | | | | | | 92 | | | | MG×1 | 15200 | 30460 | 631 |
| FDIG325-4 | | 5 | | 4 | | | | | | | | | | 101 | | | | MG×1 | 19470 | 40620 | 831 |
| FDIG325-6 | | 5 | | 6 | | | | | | | | | | 120 | | | | MG×1 | 27600 | 60930 | 1226 |
| FDIG326-3 | 32 | 6 | 3.175 | 3 | 28.7 | 48 | 74 | 60 | 60 | 30 | 12 | 10 | 6.5 | 94 | 9 | 8 | 6 | MG×1 | 15190 | 30450 | 640 |
| FDIG326-4 | | 6 | | 4 | | | | | | | | | | 110 | | | | MG×1 | 19460 | 40600 | 844 |
| FDIG326-6 | | 6 | | 6 | | | | | | | | | | 135 | | | | MG×1 | 27580 | 60900 | 1244 |
| FDIG32-10-3 | | 10 | 4.762 | 3 | 27.5 | 50 | 80 | 65 | 62 | 31 | 12 | 16 | 6.5 | 140 | 9 | 8 | 6 | MG×1 | 25890 | 43950 | 678 |
| FDIG32-10-4 | | 10 | | 4 | | | | | | | | | | 156 | | | | MG×1 | 33160 | 58600 | 893 |
| FDIG405-4 | | 5 | | 4 | | | | | | | | | | 103 | | | | M8×1 | 21650 | 52220 | 972 |
| FDIG405-5 | 40 | 5 | 3.175 | 5 | 36.7 | 55 | 88 | 72 | 64 | 32 | 14 | 10 | 6.5 | 112 | 9 | 10 | 7 | M8×1 | 26240 | 65270 | 1204 |
| FDIG405-6 | | 5 | | 6 | | | | | | | | | | 121 | | | | M8×1 | 30690 | 78330 | 1434 |

Doppel-Flanschmutter

Double flange nut

FDIG




| Index | Spindel Ball screw | | Kugel- Ball- ø | Umläufe Loaded turns | d | D | Flansch Flange | | | | | | D3 | Obbohrung Oil hole | | Schmierbohrung Lubrication hole | Nennlast rated load (N) | | Stiffigkeit Rigidity K N/um | | |
|-------------|-------------------------|------------------|----------------------|----------------------------|------|----|-------------------|-----|-----|----|----|----|-----|-----------------------|------|---------------------------------------|----------------------------|------|--------------------------------------|------------------|-------------------|
| | Nenn- ø Nominal ø | Steigung Lead | | | | | D1 | D2 | B1 | B2 | L1 | L2 | | L3 | L | | H | T | | C _{dyn} | C _{stat} |
| | | | | | | | | | | | | | | | | | | | | | |
| FDIG40-6-3 | | 6 | | 3 | | | | | | | | | | | | | | M8×1 | 16900 | 39150 | 753 |
| FDIG40-6-4 | | 6 | 3.175 | 4 | 36.7 | 55 | 88 | 72 | 64 | 32 | 14 | 10 | 6.5 | 112 | 9 | 10 | 7 | M8×1 | 21650 | 52200 | 993 |
| FDIG40-6-6 | | 6 | | 6 | | | | | | | | | | 137 | | | | M8×1 | 30680 | 78300 | 1464 |
| FDIG40-8-3 | | 8 | | 3 | | | | | | | | | | 120 | | | | M8×1 | 28990 | 56270 | 803 |
| FDIG40-8-4 | 40 | 8 | 4.762 | 4 | 35.5 | 60 | 90 | 76 | 68 | 34 | 14 | 10 | 6.5 | 130 | 9 | 10 | 7 | M8×1 | 37130 | 75030 | 1057 |
| FDIG40-8-6 | | 8 | | 6 | | | | | | | | | | 170 | | | | M8×1 | 52620 | 112550 | 1559 |
| FDIG40-10-3 | | 10 | | 3 | | | | | | | | | | 140 | | | | M8×1 | 47460 | 77390 | 803 |
| FDIG40-10-4 | | 10 | 7.144 | 4 | 33.4 | 63 | 93 | 78 | 70 | 35 | 14 | 16 | 8.5 | 160 | 9 | 10 | 7 | M6×1 | 60790 | 103170 | 1058 |
| FDIG40-10-5 | | 10 | | 5 | | | | | | | | | | 188 | | | | M8×2 | 73600 | 128970 | 1309 |
| FDIG50-5-4 | | 5 | | 4 | | | | | | | | | | 95 | | | | M8×1 | 23930 | 66730 | 1130 |
| FDIG50-5-5 | | 5 | 3.175 | 5 | 46.7 | 66 | 98 | 82 | 72 | 36 | 16 | 10 | 6.5 | 110 | 11 | 10 | 8 | M8×1 | 28990 | 83410 | 1400 |
| FDIG50-5-6 | | 5 | | 6 | | | | | | | | | | 118 | | | | M8×1 | 33920 | 100100 | 1660 |
| FDIG50-8-4 | | 8 | | 4 | | | | | | | | | | 136 | | | | M8×1 | 40900 | 94660 | 1230 |
| FDIG50-8-5 | | 8 | 4.762 | 5 | 45.5 | 70 | 105 | 88 | 80 | 40 | 16 | 10 | 8.5 | 155 | 11 | 10 | 8 | M8×1 | 49550 | 118330 | 1520 |
| FDIG50-8-6 | | 8 | | 6 | | | | | | | | | | 172 | | | | M8×1 | 57970 | 141990 | 1810 |
| FDIG50-10-3 | | 10 | | 3 | | | | | | | | | | 140 | | | | M8×1 | 53510 | 99400 | 964 |
| FDIG50-10-4 | | 10 | 7.144 | 4 | 43.4 | 75 | 110 | 93 | 88 | 44 | 16 | 16 | 8.5 | 160 | 11 | 10 | 8 | M8×1 | 68530 | 132540 | 1260 |
| FDIG50-10-5 | | 10 | | 5 | | | | | | | | | | 186 | | | | M8×1 | 83020 | 165670 | 1570 |
| FDIG50-10-6 | | 10 | | 6 | | | | | | | | | | 205 | | | | M8×1 | 97120 | 198810 | 1870 |
| FDIG50-12-3 | | 12 | | 3 | | | | | | | | | | 170 | | | | M8×1 | 61190 | 109080 | 978 |
| FDIG50-12-4 | | 12 | 8 | 4 | 42.6 | 75 | 110 | 93 | 88 | 44 | 16 | 16 | 8.5 | 192 | 11 | 10 | 8 | M8×1 | 78370 | 145450 | 1288 |
| FDIG50-12-5 | | 12 | | 5 | | | | | | | | | | 210 | | | | M8×1 | 94950 | 181810 | 1590 |
| FDIG63-10-4 | | 10 | 7.144 | 4 | 56.4 | 90 | 125 | 108 | 96 | 48 | 18 | 16 | 8.5 | 160 | 11 | 10 | 9 | M8×1 | 78390 | 176390 | 1550 |
| FDIG63-10-6 | | 10 | | 6 | | | | | | | | | | 206 | | | | M8×1 | 111080 | 264580 | 2290 |
| FDIG63-20-3 | | 20 | | 3 | | | | | | | | | | 250 | | | | M8×1 | 87240 | 166430 | 1230 |
| FDIG63-20-4 | | 20 | 9.525 | 4 | 54.2 | 95 | 135 | 115 | 100 | 50 | 20 | 25 | 8.5 | 290 | 13.5 | 10 | 10 | M8×1 | 111730 | 221900 | 1620 |

Doppel-Flanschmutter

Double flange nut

FDIG




| Index | Spindel Ball screw | | Kugeln Ball-ø | Umlauf Loaded turns | d | D | Flansch Flange | | | | | L2 | L3 | L | D3 | Ölbohrung Oil hole | | Schmierbohrung Lubrication hole | Nennlast rated load (N) | | Stiffigkeit Rigidity K N/u m |
|--------------|--------------------|---------------|---------------|---------------------|-----|-----|----------------|-----|-------|----|----|------|----|---|----|--------------------|--------|---------------------------------|-------------------------|-------------------|------------------------------|
| | Nenn-ø Nominal-ø | Steigung Lead | | | | | D1 | D2 | B1 | B2 | L1 | | | | | H | T | | C _{dyn} | C _{stat} | |
| FDIG80-10-4 | 80 | 10 | 4 | | | | | | | | | | | | | | M8x1 | 89060 | 234970 | 1840 | |
| FDIG80-10-5 | 80 | 10 | 5 | | | | | | | | | | | | | | M8x1 | 107900 | 293720 | 2280 | |
| FDIG80-10-6 | 80 | 10 | 6 | 73.4 | 105 | 145 | 125 | 112 | 56 | 20 | 16 | 8.5 | | | | M8x1 | 126220 | 352460 | 2720 | | |
| FDIG80-12-4 | 80 | 12 | 4 | | | | | | | | | | | | | M8x1 | 89020 | 234890 | 1890 | | |
| FDIG80-12-6 | 80 | 12 | 6 | | | | | | | | | | | | | M8x1 | 126160 | 352340 | 2789 | | |
| FDIG80-16-4 | 80 | 16 | 4 | 71.2 | 115 | 155 | 135 | 122 | 61 | 25 | 25 | 14.5 | | | | M8x1 | 129320 | 300190 | 2000 | | |
| FDIG80-16-6 | 80 | 16 | 6 | | | | | | | | | | | | | M8x1 | 183280 | 450290 | 2960 | | |
| FDIG80-20-3 | 80 | 20 | 3 | | | | | | | | | | | | | M8x1 | 142540 | 279170 | 1530 | | |
| FDIG80-20-4 | 80 | 20 | 4 | 68.9 | 125 | 165 | 145 | 132 | 66 | 25 | 25 | 14.5 | | | | M8x1 | 182550 | 372220 | 2010 | | |
| FDIG80-20-6 | 80 | 20 | 6 | | | | | | | | | | | | | M8x1 | 258720 | 558340 | 2970 | | |
| FDIG100-20-4 | 100 | 20 | 4 | 91.2 | 133 | 170 | 152 | 135 | 67.5 | 22 | 16 | 14.5 | | | | M8x1 | 142340 | 378470 | 2370 | | |
| FDIG100-20-5 | 100 | 20 | 5 | | | | | | | | | | | | | M8x1 | 172450 | 473090 | 2930 | | |
| FDIG100-20-6 | 100 | 20 | 6 | | | | | | | | | | | | | M8x1 | 201730 | 567710 | 3490 | | |
| FDIG100-16-4 | 100 | 16 | 4 | 88.9 | 135 | 173 | 155 | 142 | 70 | 22 | 16 | 14.5 | | | | M8x1 | 207930 | 488130 | 2330 | | |
| FDIG100-16-6 | 100 | 16 | 6 | | | | | | | | | | | | | M8x1 | 294680 | 732200 | 3440 | | |
| FDIG100-20-4 | 100 | 20 | 4 | | | | | | | | | | | | | M8x1 | 253600 | 552130 | 2430 | | |
| FDIG100-20-5 | 100 | 20 | 5 | 87.1 | 150 | 202 | 176 | 156 | 78 | 30 | 25 | 14.5 | | | | M8x1 | 307260 | 690170 | 3000 | | |
| FDIG100-20-6 | 100 | 20 | 6 | | | | | | | | | | | | | M8x1 | 359410 | 828200 | 3580 | | |
| FDIG125-20-4 | 125 | 20 | 4 | 112.1 | 170 | 222 | 196 | 176 | 88 | 40 | 30 | 14.5 | | | | M8x1 | 293650 | 744740 | 2950 | | |
| FDIG125-20-6 | 125 | 20 | 6 | | | | | | | | | | | | | M8x1 | 416170 | 1117110 | 4350 | | |
| FDIG160-25-3 | 160 | 25 | 3 | 146.4 | 210 | 275 | 240 | 221 | 110.5 | 50 | 40 | 14.5 | | | | M8x1 | 366460 | 908640 | 2660 | | |
| FDIG160-25-4 | 160 | 25 | 4 | | | | | | | | | | | | | M8x1 | 469320 | 1211530 | 3510 | | |

Zylindermutter

Cylindrical single nut

DEIG




| Index | Spindel Ball screw | | Kugeln Ball-ø | Umlauf Loaded turns | d | D | K | W | H | S | L | Nennlast rated load (N) | | Stiffigkeit Rigidity K N/u m |
|-------------|--------------------|---------------|---------------|---------------------|------|----|----|---|-----|-----|----|-------------------------|-------------------|------------------------------|
| | Nenn-ø Nominal-ø | Steigung Lead | | | | | | | | | | C _{dyn} | C _{stat} | |
| DEIG16-4-3 | 16 | 4 | 2.5 | 3 | 14 | 28 | 20 | 3 | 1.8 | 6.5 | 39 | 7180 | 10420 | 170 |
| DEIG16-5-3 | 16 | 5 | | 3 | | | | | | | 41 | 10140 | 13120 | 175 |
| DEIG16-5-4 | 16 | 5 | 3.175 | 4 | 12.7 | 30 | 20 | 3 | 1.8 | 6.5 | 46 | 12990 | 17500 | 231 |
| DEIG16-6-4 | 16 | 6 | | 4 | | | | | | | 52 | 12960 | 17470 | 233 |
| DEIG20-4-4 | 20 | 4 | 2.5 | 4 | 18 | 34 | 20 | 3 | 1.8 | 6.5 | 43 | 10660 | 18750 | 286 |
| DEIG20-5-3 | 20 | 5 | | 3 | | | | | | | 44 | 11750 | 17440 | 218 |
| DEIG20-5-4 | 20 | 5 | | 4 | | | 20 | 3 | 1.8 | | 50 | 15050 | 23260 | 287 |
| DEIG20-5-6 | 20 | 5 | 3.175 | 6 | 16.7 | 36 | | | | 6.5 | 59 | 21330 | 34890 | 423 |
| DEIG20-6-3 | 20 | 6 | | 3 | | | 20 | 4 | 2.5 | | 50 | 11730 | 17420 | 220 |
| DEIG20-6-4 | 20 | 6 | | 4 | | | 25 | 4 | 2.5 | | 58 | 15030 | 23230 | 290 |
| DEIG20-10-3 | 20 | 10 | | 3 | | | | | | | 63 | 11620 | 17290 | 222 |
| DEIG25-4-3 | 25 | 4 | 2.5 | 3 | 23 | 40 | 20 | 4 | 2.5 | 6.5 | 40 | 9170 | 17740 | 254 |
| DEIG25-5-3 | 25 | 5 | | 3 | | | | | | | 44 | 13370 | 22860 | 262 |
| DEIG25-5-4 | 25 | 5 | | 4 | | 40 | 20 | 4 | 2.5 | | 50 | 17130 | 30480 | 345 |
| DEIG25-5-5 | 25 | 5 | | 5 | | | | | | | 54 | 20750 | 38100 | 427 |
| DEIG25-6-3 | 25 | 6 | | 3 | | | | | | | 50 | 13360 | 22840 | 266 |
| DEIG25-6-4 | 25 | 6 | 3.175 | 4 | 21.7 | 40 | 25 | 4 | 2.5 | 6.5 | 58 | 17110 | 30460 | 350 |
| DEIG25-8-4 | 25 | 8 | | 4 | | | | | | | 59 | 17060 | 30390 | 359 |
| DEIG25-8-5 | 25 | 8 | | 5 | | | | | | | 70 | 20670 | 37990 | 444 |
| DEIG25-10-3 | 25 | 10 | | 3 | | 42 | 25 | 4 | 2.5 | | 68 | 13280 | 22730 | 274 |
| DEIG25-10-4 | 25 | 10 | | 4 | | | | | | | 78 | 17000 | 30310 | 361 |
| DEIG25-10-5 | 25 | 10 | | 5 | | | | | | | 88 | 20600 | 37890 | 447 |
| DEIG32-4-3 | 32 | 4 | 2.5 | 3 | 30 | 43 | 20 | 4 | 2.5 | 6.5 | 41 | 10430 | 23850 | 291 |
| DEIG32-4-5 | 32 | 4 | | 5 | | | | | | | 47 | 16180 | 39750 | 476 |
| DEIG32-5-3 | 32 | 5 | | 3 | | | 20 | 4 | 2.5 | 6.5 | 42 | 15200 | 30460 | 317 |
| DEIG32-5-4 | 32 | 5 | | 4 | | | | | | | 48 | 19470 | 40620 | 418 |
| DEIG32-5-6 | 32 | 5 | 3.175 | 6 | 28.7 | 48 | 25 | | | | 57 | 27600 | 60930 | 617 |
| DEIG32-6-3 | 32 | 6 | | 3 | | | 20 | | | | 48 | 15190 | 30450 | 324 |
| DEIG32-6-4 | 32 | 6 | | 4 | | | 25 | 5 | 3 | | 56 | 19460 | 40600 | 427 |
| DEIG32-6-6 | 32 | 6 | | 6 | | | 32 | | | | 68 | 27580 | 60900 | 630 |
| DEIG32-8-3 | 32 | 8 | | 3 | | | 25 | 5 | 3 | | 60 | 25000 | 41700 | 328 |
| DEIG32-8-4 | 32 | 8 | | 4 | | | | | | | 70 | 32000 | 55610 | 432 |
| DEIG32-10-3 | 32 | 10 | 4.762 | 3 | 27.5 | 50 | 25 | | | 6.5 | 68 | 25890 | 43950 | 348 |
| DEIG32-10-4 | 32 | 10 | | 4 | | | 32 | 6 | 3.5 | | 80 | 33160 | 58600 | 458 |
| DEIG32-12-3 | 32 | 12 | | 3 | | | | | | | 81 | 25830 | 43860 | 351 |
| DEIG40-5-4 | 40 | 5 | | 4 | | | | | | | 49 | 21650 | 52220 | 479 |
| DEIG40-5-5 | 40 | 5 | | 5 | | | 20 | 4 | 2.5 | | 54 | 26240 | 65270 | 594 |
| DEIG40-5-6 | 40 | 5 | 3.175 | 6 | 36.7 | 55 | 25 | | | 6.5 | 58 | 30690 | 78330 | 708 |
| DEIG40-6-3 | 40 | 6 | | 3 | | | 25 | | | | 49 | 16900 | 39150 | 375 |
| DEIG40-6-4 | 40 | 6 | | 4 | | | | 5 | 3 | | 58 | 21650 | 52200 | 494 |
| DEIG40-6-6 | 40 | 6 | | 6 | | | 32 | | | | 70 | 30680 | 78300 | 730 |
| DEIG40-8-3 | 40 | 8 | | 3 | | | 25 | | | | 58 | 28990 | 56270 | 406 |
| DEIG40-8-4 | 40 | 8 | 4.762 | 4 | 35.5 | 60 | | 5 | 3 | 6.5 | 66 | 37130 | 75030 | 536 |
| DEIG40-8-6 | 40 | 8 | | 6 | | | 40 | | | | 83 | 52620 | 112550 | 790 |
| DEIG40-10-3 | 40 | 10 | | 3 | | | | | | | 68 | 47460 | 77380 | 410 |
| DEIG40-10-4 | 40 | 10 | 7.144 | 4 | 33.4 | 63 | 25 | 6 | 3.5 | 8.5 | 79 | 60780 | 103170 | 540 |
| DEIG40-10-5 | 40 | 10 | | 5 | | | 32 | | | | 92 | 73640 | 128970 | 669 |

Zylindermutter

Cylindrical single nut

DEIG




| Index | Spindel Ball screw | | Kugel- Ball- ø | Umläufe Loaded turns | d | D | K | W | H | S | L | Nennlast rated load (N) | | Stiffigkeit Rigidity K N/um |
|--------------|-----------------------------|------------------|----------------------|----------------------------|--------|------|----|----|-----|-----|-----|----------------------------|-------------------|--------------------------------------|
| | Nenn- ø Nominal- ø | Steigung Lead | | | | | | | | | | C _{dyn} | C _{stat} | |
| | | | | | | | | | | | | | | |
| DFIG40-12-3 | 40 | 12 | 7.144 | 3 | 33.4 | 63 | 25 | 6 | 3.5 | 8.5 | 79 | 47380 | 77280 | 415 |
| DFIG40-12-4 | | 12 | | 4 | | | | | | | 91 | 60680 | 103040 | 547 |
| DFIG40-12-5 | | 12 | | 5 | | | | | | | 5 | 104 | 73520 | 128800 |
| DFIG50-5-4 | 50 | 5 | 3.175 | 4 | 46.7 | 66 | 20 | 4 | 2.5 | 6.5 | 48 | 23930 | 66730 | 547 |
| DEIG50-5-5 | | 5 | | 5 | | | | | | | 54 | 28990 | 83410 | 679 |
| DEIG50-5-6 | | 5 | | 6 | | | | | | | 61 | 33920 | 100100 | 809 |
| DEIG50-6-4 | | 6 | | 4 | | | | | | | 54 | 23920 | 66720 | 569 |
| DEIG50-6-5 | | 6 | | 5 | | | | | | | 60 | 28980 | 83400 | 706 |
| DEIG50-6-6 | | 6 | | 6 | | | | | | | 67 | 33910 | 100080 | 842 |
| DEIG50-8-4 | 50 | 8 | 4.762 | 4 | 45.5 | 70 | 32 | 5 | 3 | 8.5 | 70 | 40900 | 94660 | 617 |
| DEIG50-8-5 | | 8 | | 5 | | | | | | | 79 | 49550 | 118330 | 764 |
| DEIG50-8-6 | | 8 | | 6 | | | | | | | 88 | 57970 | 141990 | 911 |
| DFIG50-10-3 | 50 | 10 | 7.144 | 3 | 43.4 | 75 | 32 | 6 | 3.5 | 8.5 | 71 | 53510 | 99400 | 488 |
| DFIG50-10-4 | | 10 | | 4 | | | | | | | 81 | 68530 | 132540 | 643 |
| DFIG50-10-5 | | 10 | | 5 | | | | | | | 92 | 83020 | 165670 | 796 |
| DFIG50-10-6 | | 10 | | 6 | | | | | | | 102 | 97120 | 198810 | 948 |
| DFIG50-12-3 | | 12 | | 3 | | | | | | | 80 | 53450 | 99320 | 496 |
| DFIG50-12-4 | | 12 | | 4 | | | | | | | 92 | 68450 | 132430 | 654 |
| DFIG50-12-5 | 12 | 5 | 105 | 82940 | 165540 | 810 | | | | | | | | |
| DFIG63-6-4 | 63 | 6 | 3.175 | 4 | 59.7 | 80 | 25 | 6 | 3.5 | 8.5 | 58 | 26400 | 85590 | 647 |
| DEIG63-6-6 | | 6 | | 6 | | | | | | | 71 | 37420 | 128390 | 956 |
| DEIG63-10-4 | | 10 | | 4 | | | | | | | 81 | 78380 | 176390 | 777 |
| DFIG63-10-6 | 63 | 10 | 7.144 | 6 | 56.4 | 90 | 32 | 8 | 4 | 8.5 | 102 | 111080 | 264580 | 1140 |
| DFIG63-12-3 | | 12 | | 3 | | | | | | | 78 | 61160 | 132220 | 604 |
| DFIG63-12-4 | | 12 | | 4 | | | | | | | 91 | 78330 | 176290 | 796 |
| DEIG63-12-6 | | 12 | | 6 | | | | | | | 115 | 111010 | 264440 | 1170 |
| DEIG63-20-3 | | 20 | | 3 | | | | | | | 113 | 87240 | 166430 | 634 |
| DEIG63-20-4 | | 20 | | 4 | | | | | | | 134 | 111730 | 221900 | 835 |
| DEIG80-10-4 | 80 | 10 | 7.144 | 4 | 73.4 | 105 | 32 | 8 | 4 | 8.5 | 87 | 89060 | 234970 | 899 |
| DEIG80-10-5 | | 10 | | 5 | | | | | | | 97 | 107900 | 293720 | 1110 |
| DEIG80-10-6 | | 10 | | 6 | | | | | | | 107 | 126220 | 352460 | 1320 |
| DEIG80-12-4 | | 12 | | 4 | | | | | | | 97 | 89020 | 234890 | 932 |
| DEIG80-12-6 | | 12 | | 6 | | | | | | | 122 | 126160 | 352340 | 1370 |
| DEIG80-20-3 | | 20 | | 3 | | | | | | | 132 | 100840 | 224900 | 788 |
| DEIG80-20-4 | 20 | 4 | 152 | 129140 | 299870 | 1030 | | | | | | | | |
| DEIG80-20-5 | 20 | 5 | 132 | 142000 | 279000 | 784 | | | | | | | | |
| DEIG80-20-6 | 20 | 6 | 152 | 182000 | 372000 | 1030 | | | | | | | | |
| DEIG100-10-3 | 100 | 10 | 7.144 | 3 | 93.4 | 125 | 50 | 10 | 5 | 8.5 | 77 | 75830 | 220420 | 746 |
| DEIG100-10-4 | | 10 | | 4 | | | | | | | 87 | 97120 | 293890 | 986 |
| DEIG100-10-5 | | 10 | | 5 | | | | | | | 97 | 117670 | 367370 | 1220 |
| DEIG100-10-6 | | 10 | | 6 | | | | | | | 107 | 137650 | 440840 | 1450 |
| DEIG100-16-4 | | 16 | | 4 | | | | | | | 133 | 142470 | 378740 | 1160 |
| DEIG100-16-5 | | 16 | | 5 | | | | | | | 149 | 172610 | 473420 | 1440 |
| DEIG100-16-6 | 16 | 6 | 165 | 201910 | 568110 | 1710 | | | | | | | | |
| DEIG100-20-4 | 20 | 4 | 155 | 207000 | 487000 | 1250 | | | | | | | | |
| DEIG100-20-5 | 20 | 5 | 175 | 251000 | 609000 | 1550 | | | | | | | | |
| DEIG100-20-6 | 20 | 6 | 195 | 294000 | 731000 | 1840 | | | | | | | | |

Doppel-Zylindermutter

Cylindrical double nut

DDIG




| Index | Spindel Ball screw | | Kugel- Ball- ø | Umläufe Loaded turns | d | D | K | W | H | S | L | Nennlast rated load (N) | | Stiffigkeit Rigidity K N/um |
|-------------|-----------------------------|------------------|----------------------|----------------------------|--------|------|----|---|-----|-----|-----|----------------------------|-------------------|--------------------------------------|
| | Nenn- ø Nominal- ø | Steigung Lead | | | | | | | | | | C _{dyn} | C _{stat} | |
| | | | | | | | | | | | | | | |
| DDIG16-5-3 | 16 | 5 | 3.175 | 3 | 12.7 | 28 | 20 | 3 | 1.8 | 6.5 | 73 | 10140 | 13120 | 339 |
| DDIG16-5-4 | | 5 | | 4 | | | | | | | 85 | 12990 | 17500 | 446 |
| DDIG20-5-3 | 20 | 5 | 3.175 | 3 | 16.7 | 36 | 20 | 3 | 1.8 | 6.5 | 73 | 11750 | 17440 | 424 |
| DDIG20-5-4 | | 5 | | 4 | | | | | | | 85 | 15050 | 23260 | 558 |
| DDIG20-10-3 | | 10 | | 3 | | | | | | | 120 | 11620 | 17290 | 427 |
| DDIG20-10-4 | | 10 | | 4 | | | | | | | 143 | 14880 | 23060 | 562 |
| DDIG25-5-3 | 25 | 5 | 3.175 | 3 | 21.7 | 40 | 20 | 4 | 2.5 | 6.5 | 73 | 13370 | 22860 | 515 |
| DDIG25-5-4 | | 5 | | 4 | | | | | | | 85 | 17130 | 30480 | 679 |
| DDIG25-6-3 | | 6 | | 3 | | | | | | | 85 | 13360 | 22840 | 521 |
| DDIG25-6-4 | | 6 | | 4 | | | | | | | 100 | 17110 | 30460 | 686 |
| DDIG25-10-3 | | 10 | | 3 | | | | | | | 120 | 13280 | 22730 | 528 |
| DDIG25-10-4 | | 10 | | 4 | | | | | | | 143 | 17000 | 30310 | 695 |
| DDIG32-5-3 | 32 | 5 | 3.175 | 3 | 28.7 | 48 | 20 | 4 | 2.5 | 6.5 | 75 | 15200 | 30460 | 631 |
| DDIG32-5-4 | | 5 | | 4 | | | | | | | 85 | 19470 | 40620 | 831 |
| DDIG32-5-6 | | 5 | | 6 | | | | | | | 105 | 27600 | 60930 | 1220 |
| DDIG32-6-3 | | 6 | | 3 | | | | | | | 85 | 15190 | 30450 | 640 |
| DDIG32-6-4 | | 6 | | 4 | | | | | | | 100 | 19460 | 40600 | 844 |
| DDIG32-6-6 | | 6 | | 6 | | | | | | | 125 | 27580 | 60900 | 1240 |
| DDIG32-10-3 | 10 | 3 | 135 | 25890 | 43950 | 678 | | | | | | | | |
| DDIG32-10-4 | 10 | 4 | 150 | 33160 | 58600 | 893 | | | | | | | | |
| DDIG40-5-4 | 40 | 5 | 3.175 | 4 | 36.7 | 55 | 20 | 4 | 2.5 | 6.5 | 85 | 21650 | 52220 | 972 |
| DDIG40-5-5 | | 5 | | 5 | | | | | | | 100 | 26240 | 65270 | 1200 |
| DDIG40-5-6 | | 5 | | 6 | | | | | | | 110 | 30690 | 78330 | 1430 |
| DDIG40-6-3 | | 6 | | 3 | | | | | | | 90 | 16900 | 39150 | 753 |
| DDIG40-6-4 | | 6 | | 4 | | | | | | | 102 | 21650 | 52200 | 993 |
| DDIG40-6-6 | | 6 | | 6 | | | | | | | 125 | 30680 | 78300 | 1460 |
| DDIG40-8-3 | 40 | 8 | 4.762 | 3 | 35.5 | 60 | 25 | 5 | 3 | 6.5 | 108 | 28990 | 56270 | 803 |
| DDIG40-8-4 | | 8 | | 4 | | | | | | | 125 | 37130 | 75030 | 1050 |
| DDIG40-8-6 | | 8 | | 6 | | | | | | | 160 | 52620 | 112550 | 1550 |
| DDIG40-10-3 | | 10 | | 3 | | | | | | | 130 | 47460 | 77380 | 803 |
| DDIG40-10-4 | 10 | 4 | 150 | 60780 | 103170 | 1050 | | | | | | | | |
| DDIG50-5-4 | 50 | 5 | 3.175 | 4 | 46.7 | 66 | 20 | 4 | 2.5 | 6.5 | 85 | 23930 | 66730 | 1130 |
| DDIG50-5-5 | | 5 | | 5 | | | | | | | 95 | 28990 | 83410 | 1400 |
| DDIG50-5-6 | | 5 | | 6 | | | | | | | 105 | 33920 | 100100 | 1660 |

Doppel-Zylindermutter

Cylindrical double nut

DDIG



| Index | Spindel Ball screw | | Kugel- Ball- ø | Umläufe Loaded turns | d | D | K | W | H | S | L | Nennlast rated load (N) | | Steifigkeit Rigidity K N/um | |
|--------------|-----------------------------|------------------|----------------------|----------------------------|-------|--------|------|----|-----|------|-------|----------------------------|-------------------|--------------------------------------|------|
| | Nenn- ø Nominal- ø | Steigung Lead | | | | | | | | | | C _{dyn} | C _{stat} | | |
| DDIG50-8-4 | 50 | 8 | 4.762 | 4 | 45.5 | 70 | 32 | 5 | 3 | 8.5 | 125 | 40900 | 94660 | 1230 | |
| DDIG50-8-5 | | | | 5 | | | | | | | 145 | 49550 | 118330 | 1520 | |
| DDIG50-8-6 | | | | 6 | | | | | | | 161 | 57970 | 141990 | 1810 | |
| DDIG50-10-3 | | 10 | 7.144 | 3 | 43.4 | 75 | 32 | 6 | 3.5 | 8.5 | 130 | 53510 | 99400 | 964 | |
| DDIG50-10-4 | | | | 4 | | | 150 | | | | 68530 | 132540 | 1260 | | |
| DDIG50-10-5 | | | | 5 | | | 172 | | | | 83020 | 165670 | 1570 | | |
| DDIG50-10-6 | | 12 | 8 | 8 | 42.6 | 75 | 40 | 6 | 3.5 | 8.5 | 195 | 97120 | 198810 | 1870 | |
| DDIG50-12-3 | | | | | | | | | | | 3 | 155 | 61190 | 109080 | 978 |
| DDIG50-12-4 | | | | | | | | | | | 4 | 175 | 78370 | 145450 | 1288 |
| DDIG50-12-5 | | 12 | 8 | 8 | 42.6 | 75 | 40 | 8 | 4 | 8.5 | 205 | 94950 | 181810 | 1594 | |
| DDIG63-10-4 | 4 | | | | | | | | | | 159 | 78380 | 176390 | 1550 | |
| DDIG63-10-6 | 6 | | | | | | | | | | 202 | 111080 | 264580 | 2290 | |
| DDIG63-20-3 | 63 | 20 | 9.525 | 3 | 54.2 | 95 | 40 | 8 | 4 | 8.5 | 230 | 87240 | 166430 | 1230 | |
| DDIG63-20-4 | | | | | | | | | | | 4 | 270 | 111730 | 221900 | 1620 |
| DDIG80-10-4 | 80 | 10 | 7.144 | 4 | 73.4 | 105 | 32 | 8 | 4 | 8.5 | 160 | 89060 | 234970 | 1840 | |
| DDIG80-10-5 | | | | 5 | | | | | | | 180 | 107900 | 293720 | 2280 | |
| DDIG80-10-6 | | | | 6 | | | | | | | 202 | 126220 | 352460 | 2720 | |
| DDIG80-12-4 | | 12 | 7.144 | 7.144 | 4 | 73.4 | 105 | 40 | 8 | 4 | 8.5 | 180 | 89020 | 234890 | 1890 |
| DDIG80-12-6 | | | | | 6 | | | | | | | 235 | 126160 | 352340 | 2780 |
| DDIG80-16-4 | | | | | 16 | | | | | | | 9.525 | 9.525 | 4 | 71.2 |
| DDIG80-16-6 | | 6 | 315 | 183280 | | 450290 | 2960 | | | | | | | | |
| DDIG80-20-3 | | 20 | 12.7 | 12.7 | 3 | 68.9 | 125 | 63 | 10 | 5 | 14.5 | 243 | 142000 | 279000 | 1530 |
| DDIG80-20-4 | | | | | 4 | | | | | | | 285 | 182000 | 372000 | 2010 |
| DDIG80-20-6 | | | | | 6 | | | | | | | 380 | 258000 | 558000 | 2970 |
| DDIG100-20-4 | 100 | 20 | 9.525 | 4 | 91.2 | 133 | 63 | 10 | 5 | 14.5 | 280 | 142340 | 378470 | 2370 | |
| DDIG100-20-5 | | | | 5 | | | | | | | 324 | 172450 | 473090 | 2930 | |
| DDIG100-20-6 | | | | 6 | | | | | | | 373 | 201730 | 567710 | 3490 | |
| DDIG100-16-4 | | 16 | 12.7 | 12.7 | 4 | 88.9 | 135 | 75 | 14 | 7 | 14.5 | 245 | 207000 | 488000 | 2330 |
| DDIG100-16-6 | | | | | 6 | | | | | | | 312 | 294000 | 732000 | 3440 |
| DDIG100-20-4 | | 20 | 15 | 15 | 4 | 87.1 | 150 | 85 | 14 | 7 | 14.5 | 285 | 253000 | 552000 | 2430 |
| DDIG100-20-5 | | | | | 5 | | | | | | | 330 | 307000 | 690000 | 3000 |
| DDIG100-20-6 | | | | | 6 | | | | | | | 380 | 359000 | 828000 | 3580 |
| DDIG125-20-4 | | 125 | 20 | 15 | 4 | 112.1 | 170 | 85 | 14 | 7 | 14.5 | 280 | 293000 | 744000 | 2950 |
| DDIG125-20-6 | | | | | 6 | | | | | | | 370 | 416000 | 1110000 | 4350 |
| DDIG160-25-3 | 160 | 25 | 20 | 3 | 146.4 | 210 | 98 | 16 | 8 | 14.5 | 285 | 366000 | 908000 | 2660 | |
| DDIG160-25-4 | | | | 4 | | | | | | | 340 | 469000 | 1210000 | 3510 | |