

Everbuild 403 Concrete Hardener & Dustproofer

DECLARATION OF PERFORMANCE No. 51164156

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	CHD5L, CHDU25
2	INTENDED USE/S	Concrete surface protection product - impregnation - physical resistance 5.2 (I) of EN1504-2:2004
3	MANUFACTURER:	Everbuild Building Products LTD Site 41, Knowsthorpe Way, Cross Green Industrial Estate, Leeds, LS9 0SW, UK
4	AUTHORISED REPRESENTATIVE:	N/A
5	SYSTEM/S OF AVCP:	2+
6a	HARMONISED STANDARD:	EN1504-2:2004
	Notified body/ies:	1029

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Abrasion resistance	Pass		
Capillary absorption and permeability to water	<0.1 kg/m ² h ^{0.5}		
Impact resistance	Class III >20 Nm		
Adhesion strength by pull off test	>1.5 N/mm ²		
Depth of penetration	≥5 mm		EN1504-2:2004
Dangerous substances	Complies with 5.4		

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Paul Thomas
Function: Technical Product Coordinator
At Leeds on 15 December 2020

Name : Mariam Maqsood
Function: Product Manager
At place on 15 December 2020

End of information as required by Regulation (EU) No 305/2011





Everbuild Building Products LTD, Leeds, UK

DoP No. 51164156

EN1504-2:2004

Notified Body 1029

Concrete surface protection product - impregnation - physical resistance 5.2 (I) of EN1504-2:2004

Abrasion resistance	Pass
Capillary absorption and permeability to water	<0.1 kg/m ² h ^{0.5}
Impact resistance	Class III >20 Nm
Adhesion strength by pull off test	>1.5 N/mm ²
Depth of penetration	≥5 mm
Dangerous substances	Complies with 5.4

www.everbuild.co.uk/downloads/

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Performance
CHD5L, CHDU25
51164156
2020/12, ver. 02
1213

Template for translation. Only for
internal use

Declaration of Performance
CHD5L, CHDU25
51164156
2020/12 , ver. 02
1213

4/4

Template for translation. Only for
internal use

BUILDING TRUST

